

COORDINATE DEPRESSION REQUIREMENTS W/ VAULT SUPPLIER. THICKEN TOTAL SLAB THICKNESS BY THE DEPRESSION THICKNESS TO MAINTAIN 1'-0" MIN. VAULT SLAB THICKNESS

12 BEAM AT VAULT SLAB
SCALE:3/4" = 1'-0"



9 EXTERIOR GRADE BEAM W/ BRICK LEDGE AT POST UP
SCALE:3/4" = 1'-0"



6 EXTERIOR GRADE BEAM AT COLUMN W/ BRICK LEDGE
SCALE:3/4" = 1'-0"

NOTE: WHEN NOT DIMENSIONED ON PLAN, PLACE INTERMEDIATE FOOTING @ EQUAL SPACES BETWEEN COLUMN FOOTINGS.



3 INTERMEDIATE FOOTING DETAIL
SCALE:3/4" = 1'-0"



COORDINATE DEPRESSION REQUIREMENTS W/ VAULT SUPPLIER. THICKEN TOTAL SLAB THICKNESS BY THE DEPRESSION THICKNESS TO MAINTAIN 1'-0" MIN. VAULT SLAB THICKNESS

11 BEAM AT VAULT SLAB
SCALE:3/4" = 1'-0"

8 INTERIOR GRADE BEAM AT COLUMN
SCALE:3/4" = 1'-0"



5 BUMPOUT DETAIL
SCALE:3/4" = 1'-0"



2 EXTERIOR GRADE BEAM AT BRICK LEDGE
SCALE:3/4" = 1'-0"



10 ISOLATED COLUMN BASE DETAIL
SCALE:3/4" = 1'-0"



7 TYPICAL INTERIOR GRADE BEAM
SCALE:3/4" = 1'-0"



4 GRADE BEAM AT EXTERIOR SLAB
SCALE:3/4" = 1'-0"



1 TYPICAL EXTERIOR GRADE BEAM
SCALE:3/4" = 1'-0"

SLI DESIGN, INC.
ARCHITECTURE PLANNING INTERIOR DESIGN
15810 PARK TEN PLACE, SUITE 300
HOUSTON, TEXAS 77084
713-465-4650
www.sligroup.com
© COPYRIGHT

Shell Federal CREDIT UNION

26000 block of FM 1093
Richmond, TX 77406

Project Number : 8972

ISSUED FOR CLIENT APPROVAL	DATE
ISSUED FOR BIDDING	04/01/2026
ISSUED FOR PERMIT	04/01/2026
ISSUED FOR CONSTRUCTION	

REVISIONS

MARK	DESCRIPTION	DATE

CJG Engineers
Texas Engineering
Firm Reg. No. F-170
6051 North Course Dr • Ste 375
Houston, Texas 77072
713.780.3345

The information, ideas, designs, details, layouts, techniques, features, arrangements, plans, sequences, dimensions, allowances, tolerances, conceptions, specifications, intentions, technology or embodiments, as illustrated, arranged, displayed, noted, recorded, indicated, represented, disclosed, evidenced, detailed or otherwise reduced to tangible form hereon, either expressly, inherently or by implication, are the confidential and proprietary information of SLI Design, Inc., and shall not be used for any purpose other than the specific project or undertaking identified on the drawing title block or legend for which they are and have been prepared by SLI Design, Inc. Any other reproduction, disclosure or use of any portion of the confidential and proprietary information of SLI Design, Inc., shall be a breach of the obligation of confidence created by the acceptance of this drawing from SLI Design, Inc. for a specific project or Contract. Any copying, duplicating, reproducing, utilization, alteration, modification, revision or change to this drawing, is expressly prohibited unless done with the prior written consent or approval of SLI Design, Inc., and shall not be undertaken without receipt of such prior written approval. This drawing is loaned by SLI Design, Inc., for the limited purpose of complying with a specific Contract. The drawing remains the property of SLI Design, Inc., and shall be returned upon request or completion of the contract, unless specifically authorized by Contract, under which it was loaned.

PRINT DATE:

STATE OF TEXAS
BRITT GARDNER
90958
LICENSED PROFESSIONAL ENGINEER
04/01/2026

DRAWING TITLE
FOUNDATION DETAILS

DRAWN BY	AD	SHEET NO.
CHECKED BY	BG	S3.01
APPROVED BY	BG	