NOTE:

1. THE LATERAL STABILITY OF THIS STRUCTURE IS DEPENDENT ON A NUMBER OF SHEARWALLS LOCATED THROUGHOUT THE BUILDING. THEREFORE, THIS STRUCTURE SHOULD BE FULLY BRACED IN ALL DIRECTIONS, UNTIL ALL WALL STUDS, HOLD DOWNS, AND SHEATHING ARE IN PLACE AND FULLY CONSTRUCTED.
2. SHEATH ALL LOAD BEARING STUD WALLS PRIOR TO LOADING OF ROOF TRUSSES AND ROOF DECK.
3. ALL EXTERIOR WALL STUDS SHALL BE 2x6 #2 GR SYP AT 16" OC, UNLESS NOTED OTHERWISE AT SHEARWALL TYPE B. SEE SHEARWALL SCHEDULE. ALL INTERIOR LOAD BEARING STUDS SHALL BE 2X4 #2 GR SYP AT 16" OC
4. ALL EXTERIOR WALL STUDS TO HAVE 1/2" STRUCT PLYWOOD SHEATHING ALL INTERIOR WALLS TO HAVE 5/8" GYP. BOARD. SEE TIMBER NOTE #8
5. ALL FASTENERS, HARDWARE, ANCHOR BOLTS, SILL BOLTS, NAILS AND SCREWS AND BOLTS SHALL BE HOT DIP GALVANIZED.
6. BOTTOM CHORD OF TRUSSES ARE NOT BRACED BY THE CEILING. DESIGN TRUSSES AND BRACING AS REQUIRED, SEE 5 AND 6/S402 FOR TRUSS PROFILES.
7. IT IS THE CONTRACTORS RESPONSIBILITY TO COORDINATE BETWEEN THE ROOF TRUSS SUPPLIER AND THE MECHANICAL CONTRACTOR FOR ADEQUATE MECHANICAL EQUIPMENT AND DUCT CLEARANCE. CLEARANCES AND PROVISIONS SHOWN ON THESE DRAWINGS CANNOT TAKE INTO ACCOUNT DIFFERENCES IN EQUIPMENT PURCHASED OR ALTERNATE DUCT LAYOUTS.

LEGEND

- ① INDICATES HEADER SCHEDULE - SEE THIS SHEET
- INDICATES LOAD BEARING WALL
- (A) INDICATES SHEAR WALL - SEE SCHEDULE
- INDICATES LOAD BEARING CMU
- SIMPSON HDU5 INDICATES HOLDOWN AT SHEARWALL END SEE 1-7/S303 FOR DETAILS

HEADER SCHEDULE

MARK	HEADER TYPE
①	(2) 2x8
②	(2) 2-2x10
③	(3) 2x6
④	(3) 2x8
⑤	(3) 2x10
⑥	(3) 2x12
⑦	3 1/2"x11 1/4" LSL BM
⑧	5-2x10

NOTE:
ALL INTERIOR HEADERS ARE TYPE ① UNLESS NOTED

ALL EXTERIOR HEADERS ARE TYPE ③ UNLESS NOTED
USE 1/2" PLYWOOD SPACERS AS REQ'D

NORTH

ROOF FRAMING PLAN
SCALE: 1/4" = 1'-0"

SLI GROUP, INC.
ARCHITECTURE | DESIGN | CONSTRUCTION
15810 PARK TEN PLACE, SUITE 300
HOUSTON, TEXAS 77084
713-465-4650
www.sligroup.com

© COPYRIGHT

National Bank & Trust
National Bank & Trust - Bastrop
264 FM 969 BLDG. 3
BASTROP, TX 78602
Project Number : 8989

ISSUED	DATE
ISSUED FOR CLIENT APPROVAL	
ISSUED FOR BIDDING	
ISSUED FOR PERMIT	09/10/26
ISSUED FOR CONSTRUCTION	

REVISIONS

MARK	DESCRIPTION	DATE
A	ADDENDUM A	09/18/26

CJG ENGINEERS
STRUCTURAL ENGINNERS
TEXAS ENGINEERING FIRM
NO. F-170
6051 NORTH COURSE DRIVE
SUITE 375
HOUSTON, TEXAS 77072
713.780.3345

The information, ideas, designs, details, layouts, techniques, features, arrangements, plans, sequences, dimensions, allowances, tolerances, conceptions, specifications, intentions, technology or embodiments, as illustrated, arranged, displayed, noted, recorded, indicated, represented, disclosed, evidenced, detailed or otherwise reduced to tangible form hereon, either expressly, inherently or by implication, are the confidential and proprietary information of SLI Design, Inc., and shall not be used for any purpose other than the specific project or undertaking identified on the drawing title block or legend for which they are and have been prepared by SLI Design, Inc. Any other reproduction, disclosure or use of any portion of the confidential and proprietary information of SLI Design, Inc., shall be a breach of the obligation of confidence created by the acceptance of this drawing from SLI Design, Inc. for a specific project or Contract. Any copying, duplicating, reproducing, utilization, alteration, modification, revision or change to this drawing, is expressly prohibited unless done with the prior written consent or approval of SLI Design, Inc., and shall not be undertaken without receipt of such prior written approval. This drawing is loaned by SLI Design, Inc., for the limited purpose of complying with a specific Contract. The drawing remains the property of SLI Design, Inc., and shall be returned upon request or completion of the contract, unless specifically authorized by Contract, under which it was loaned.

PRINT DATE: 9/18/2026 4:02:51 PM

STATE OF TEXAS
BRITT GARDNER
90958
LICENSED PROFESSIONAL ENGINEER
18 September 2026

DRAWING TITLE
ROOF FLOOR FRAMING PLAN

DRAWN BY	JM
CHECKED BY	BG
APPROVED BY	
SHEET NO.	S201

Z:\22616\87 - National Bank and Trust - Bastrop\01 Revit Models - v2026\National Bank & Trust R26.rvt