

FIG. 304.3.2
T-SHAPED TURNING SPACE






FIG. 403.5.1
CLEAR WIDTH OF AN ACCESSIBLE ROUTE



NOTE: DIMENSIONS SHOWN APPLY WHEN X < 48".
(A) 180 DEGREE TURN



(B) 180 DEGREE TURN (EXCEPTION)

FIG. 403.5.2
CLEAR WIDTH AT TURN




FIG. 703.4.1
HEIGHT OF TACTILE CHARACTERS ABOVE FINISH FLOOR OR GROUND




FIG. 703.3.2
POSITION OF BRAILLE

MEASUREMENT RANGE	MINIMUM IN INCHES MAXIMUM IN INCHES
DOT BASE DIAMETER	0.059" (1.5 MM) TO 0.063" (1.6 MM)
DISTANCE BETWEEN CORRESPONDING DOTS IN THE SAME CELL	0.090" (2.3 MM) TO 0.100 (2.5 MM)
DISTANCE BETWEEN CORRESPONDING DOTS DOTS IN ADJACENT CELLS	0.241 (6.1 MM) TO 0.300 (7.6 MM)
DOT HEIGHT	0.395 (10 MM) TO 0.400 (10.2 MM)
DISTANCE BETWEEN CORRESPONDING DOTS FROM ONE CELL DIRECTLY BELOW	0.395 (10 MM) TO 0.400 (10.2 MM)

TABLE 703.3.1
BRAILLE DIMENSIONS

MANEUVERING, TURNING & CLEAR FLOOR SPACE




FIG. 703.4.2
LOCATION OF TACTILE SIGNS AT DOORS




FIG. 305.3
CLEAR FLOOR OR GROUND SPACE




FIG. 305.5
POSITION OF CLEAR FLOOR OR GROUND SPACE




FIG. 305.7.1
MANEUVERING CLEARANCE IN AN ALCOVE, FORWARD APPROACH




FIG. 305.7.2
MANEUVERING CLEARANCE IN AN ALCOVE, PARALLEL APPROACH




FIG. 308.2.1
UNOBSTRUCTED FORWARD REACH




FIG. 308.2.2
OBSTRUCTED HIGH FORWARD REACH




FIG. 308.3.1
UNOBSTRUCTED SIDE REACH




FIG. 308.3.2
OBSTRUCTED HIGH SIDE REACH

SEATING CLEARANCE, CLEAR FLOOR SPACE,APPROACHES, ALCOVES,& REACH RANGES




FIG. 704.2.1.1
PARALLEL APPROACH TO TELEPHONE




FIG. 704.2.1.2
FORWARD APPROACH TO TELEPHONE




FIG. 410.6
PLATFORM LIFT DOORS AND GATE




FIG. 602.5
DRINKING FOUNTAIN SPOUT LOCATION




FIG. 608.5.3
ALTERNATE ROLL-IN TYPE SHOWER COMPARTMENT CONTROL LOCATION




FIG. 610.2
BATHTUB SEATS

WATER FOUNTAINS, AND SERVING LINES HEIGHTS AT PHONES,




FIG. 604.2
WATER CLOSET LOCATION




FIG. 604.3.1
SIZE OF CLEARANCE AT WATER CLOSETS




FIG. 604.3.2
(EXCEPTION)OVERLAP OF WATER CLOSET CLEARANCE IN (RESIDENTIAL UNITS)




FIG. 604.5.1
SIDE WALL GRAB BAR AT WATER CLOSETS




FIG. 604.5.2
REAR WALL GRAB BAR AT WATER CLOSETS




FIG. 604.7
DISPENSER OUTLET LOCATION




FIG. 604.8.2
AMBULATORY ACCESSIBLE TOILET COMPARTMENT




FIG. 605.2
HEIGHT AND DEPTH OF URINALS




FIG. 609.3
SPACING OF GRAB BARS

LAVATORIES, WATER CLOSETS & TOILET STALLS




FIG. 607.2
CLEARANCE FOR BATHTUBS




FIG. 607.4.1
GRAB BARS FOR BATHTUBS WITH PERMANENT SEATS




FIG. 604.8.1.1
SIZE OF WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT




FIG. 610.3.1
RECTANGULAR SHOWER SEAT




FIG. 610.3.2
L-SHAPED SHOWER SEAT




FIG. 608.3.1
GRAB BARS FOR TRANSFER TYPE SHOWERS




FIG. 604.8.1.4
WHEELCHAIR ACCESSIBLE TOILET COMPARTMENT TOE CLEARANCE

SINKS AND BATH TUBS WITH AND WITHOUT SEATS




FIG. 608.2.1
SHOWER SIZE AND CLEARANCES 36" BY 36" STALL




FIG. 608.2.2
STANDARD ROLL-IN TYPE SHOWER COMPARTMENT SIZE AND CLEARANCE




FIG. 608.2.3
ALTERNATE ROLL-IN TYPE SHOWER COMPARTMENT SIZE AND CLEARANCE

FIG. 608.5.1
TRANSFER TYPE SHOWER COMPARTMENT CONTROL LOCATION

FIG. 608.3.3
GRAB BARS FOR ALTERNATE ROLL-IN TYPE SHOWERS

FIG. 608.3.2
GRAB BARS FOR STANDARD ROLL-IN TYPE SHOWERS

FIG. 804.2.2
U-SHAPED KITCHENS

FIG. 804.2.1
PASS THROUGH KITCHENS

SHOWERS: ROLL IN & TRANSFER STALLS

C:\Users\PC-04-22\Documents\00_Revit Local Files\National Bank & Trust - Bastrop_WS_V26_rgates@sligroup.com.rvt

SLI GROUP, INC.
ARCHITECTURE | DESIGN | CONSTRUCTION
15810 PARK TEN PLACE, SUITE 300
HOUSTON, TEXAS 77084
713-465-4650
www.sligroup.com

© COPYRIGHT

National Bank & Trust
National Bank & Trust - Bastrop
809 SAM HOUSTON DR
BASTROP TX 78602

Project Number : 8989

ISSUED FOR	DATE
ISSUED FOR CLIENT APPROVAL	08.17.2026
ISSUED FOR BIDDING	09.11.2026
ISSUED FOR PERMIT	09.11.2026
ISSUED FOR CONSTRUCTION	11.02.2026

REVISIONS

MARK	DESCRIPTION	DATE

The information, ideas, designs, details, layouts, techniques, features, arrangements, plans, sequences, dimensions, allowances, tolerances, conceptions, specifications, intentions, technology or embodiments, as illustrated, arranged, displayed, noted, recorded, indicated, represented, disclosed, evidenced, detailed or otherwise reduced to tangible form hereon, either expressly, inherently or by implication, are the confidential and proprietary information of SLI Design, Inc., and shall not be used for any purpose other than the specific project or undertaking identified on the drawing title block or legend for which they are and have been prepared by SLI Design, Inc. Any other reproduction, disclosure or use of any portion of the confidential and proprietary information of SLI Design, Inc., shall be a breach of the obligation of confidence created by the acceptance of this drawing from SLI Design, Inc. for a specific project or Contract. Any copying, duplicating, reproducing, utilization, alteration, modification, revision or change to this drawing, is expressly prohibited unless done with the prior written consent or approval of SLI Design, Inc., and shall not be undertaken without receipt of such prior written approval. This drawing is loaned by SLI Design, Inc., for the limited purpose of complying with a specific Contract. The drawing remains the property of SLI Design, Inc., and shall be returned upon request or completion of the contract, unless specifically authorized by Contract, under which it was loaned.

PRINT DATE: 11/17/2026 2:00:51 PM

REGISTERED ARCHITECT ROMAS B. SLIWA 14288 STATE OF TEXAS
11/02/26

DRAWING TITLE
ACCESIBILITY ELEMENT COMPLIANCE

DRAWN BY	RG	SHEET NO.
CHECKED BY	CA	A-0.10
APPROVED BY	TB	